
shmir-website Documentation

Release 2.0

Sylewster Brzęczkowski, Mateusz Flieger, Piotr Rogulski, Michał R

May 18, 2017

1	accounts package	3
1.1	Submodules	3
1.2	accounts.admin module	3
1.3	accounts.forms module	3
1.4	accounts.models module	3
1.5	accounts.tests module	3
1.6	accounts.urls module	3
1.7	accounts.utils module	3
1.8	accounts.views module	3
1.9	Module contents	3
2	designer package	5
2.1	Subpackages	5
2.2	Submodules	5
2.3	designer.admin module	5
2.4	designer.forms module	5
2.5	designer.models module	5
2.6	designer.tests module	5
2.7	designer.urls module	5
2.8	designer.utils module	5
2.9	designer.views module	5
2.10	Module contents	5
3	manage module	7
4	shweb package	9
4.1	Submodules	9
4.2	shweb.settings module	9
4.3	shweb.urls module	9
4.4	shweb.wsgi module	9
4.5	Module contents	9
5	Indices and tables	11
	Python Module Index	13

Contents:

accounts package

Submodules

accounts.admin module

accounts.forms module

accounts.models module

accounts.tests module

accounts.urls module

accounts.utils module

`accounts.utils.code_generator` (*length=40*)
Function for generating random string with given length
Args: length: length of the random string
Returns: str object

accounts.views module

Module contents

designer package

Subpackages

designer.templatetags package

Submodules

designer.templatetags.shmir_tags module

Module contents

Submodules

designer.admin module

designer.forms module

designer.models module

designer.tests module

designer.urls module

designer.utils module

designer.views module

Module contents

manage module

shweb package

Submodules

shweb.settings module

Django settings for shweb project.

For more information on this file, see <https://docs.djangoproject.com/en/1.6/topics/settings/>

For the full list of settings and their values, see <https://docs.djangoproject.com/en/1.6/ref/settings/>

shweb.urls module

shweb.wsgi module

WSGI config for shweb project.

It exposes the WSGI callable as a module-level variable named `application`.

For more information on this file, see <https://docs.djangoproject.com/en/1.6/howto/deployment/wsgi/>

Module contents

Indices and tables

- *genindex*
- *modindex*
- *search*

a

accounts, 3
accounts.utils, 3

d

designer, 5
designer.templatetags, 5

m

manage, 7

s

shweb, 9
shweb.accounts (*Unix, Windows*), 3
shweb.settings, 9
shweb.wsgi, 9

A

accounts (module), 3

accounts.utils (module), 3

C

code_generator() (in module accounts.utils), 3

D

designer (module), 5

designer.templatetags (module), 5

M

manage (module), 7

S

shweb (module), 9

shweb.accounts (module), 3

shweb.settings (module), 9

shweb.wsgi (module), 9